Index to Volume 69

The Journal of Heredity, 1978

Abawi, G. S., et al., Inheritance of resistance to white mold disease in *Phaseolus coccineus*, 200.

Abnormal differentiation of floral parts in a mutant strain of soybean, B. B. Singh and A. N. Jha, 143.

Acclimation of *Paramecium* to copper, D. Nyberg, R. S. El-Mallakh, and C. Szeto, 423.

Adalsteinsson, S., Inheritance of yellow dun and blue dun in the Icelandic toelter horse, 146; A new interpretation of the inheritance of the horse colors dun and Isabella in a Russian stud during the period 1854–1894, 426; Note on an Icelandic albino ram, 430.

Adalsteinsson S. and H. Wardum, Frequency of color genes in Faeroe Islands sheep, 259.

Ahmad, M., et al., Genetic analysis of two enzyme polymorphisms in a malaria vector mosquito: octanol dehydrogenase and acid phosphatase in *Anopheles culicifacies* Giles, 155.

Ainsley, R. W., et al., Genetic analysis of two enzyme polymorphisms in a malaria vector mosquito: octanol dehydrogenase and acid phosphatase in *Anopheles culicifacies* Giles, 155.

Aneuploidy in *Vicia faba* L., A. Martín, 421.

Animal Genetics

Alfalfa weevil: genetic differences between eastern and western populations, 37.

Bharal: G-band patterns, hemoglobin, and transferrin types; chromosomal evolutionary relationships with sheep and goats, 316.

Cabbage looper: segregation of reciprocal translocations, 59.

Cats: mutant allele frequencies in domestic of Denver, Colorado, 131; mutant allele frequencies in domestic cat populations of six Soviet cities, 169.

Cattle: inheritance of horned, scurred, and polled condition, 395.

Cockroach: remnants of primitive gene system possibly carried on chromosome 9, 337.

Danio hybrids: gene activation of ADH, 57.

Dogs: polymorphism at the glucosephosphate isomerase locus, 141; short and long coats in St. Bernards, 266; effect of inbreeding on human aversion in pointers, 362.

Drosophila: genetic and environmental interaction in *D. pseudoobscura*, 63; genetic variation in a heterogeneous environment, 135; gene frequencies in isolated population of *D. pseudoobscura*, 197; sex-transformation gene in *D. melanogaster*, 229; hybrid dysgenesis in *D. melanogaster* shows no suppressor-X effect on male recombination, 417.

Fowl: ear-tufts mutation in Araucana, 91; green spotting on shanks of Ancona chickens, 97; increased stability of hybrid molecule in chickens and quail, 354; new linkage groups and revised chromosome map in domestic fowl, 401.

Gerbil: white spotted Mongolian, 347.

Habrobracon juglandis: flightless mutation, 113.

Hamsters: XXY genotype in *C. griseus*, 128; linkage between white band and long hair in Syrian, 199; microwave radiation-induced chromosomal aberrations in corneal epithelium of Chinese, 409.

Hemipteran embryos: simple technique for preparing mitotic chromosomes, 419.

Horses: yellow dun and blue dun in Icelandic toelter, 146; linkage of tobiano coat spotting and albumin markers in Shetland ponies, 214; new interpretation of inheritance of colors dun and Isabella in Russian stud, 426.

Horsfield's shrew: karyological analysis, 202.

Mice: recombination studies of siren gene: nonallelic interaction between *srn* and *Sd*, 51; characterization of different substrains of C3H, 66; genetics of a lethal blind factor, 86; location of gene for theta antigen on chromosome 9, 224; regulation of arylsulfatase B: expression in different tissues, 244; phaeomelanin synthesis and obesity: interaction of viable yellow (A^{vy}) and sombre (e^{so}) mutations, 295; *M. musculus* × *M. caroli* hybrids, 321; high incidence of mutants in Peruvian population, 429.

Microtus pinetorum: chromosomes, 343.

Mink: effect of day length on lethality in shadow homozygotes, 366.

Mosquitoes: bleached, a new sex-linked mutant with reduced recombination in males *C. pipiens*, 81; genetic analysis of two enzyme polymorphisms in *Anopheles culicifacies*, 155; sex-linked translocations in *C. tarsalis*, 304.

Moth: conspicuous markings of Io, 11.

Paramecium, acclimation to copper, 423.

Rabbits: genetics and pathology of retroesophageal right subclavian artery, 19; effect of strain on activity level and cytotoxicity of serum complement, 107; inherited enzyme variation among JAX strains of domestic, 165; genetics and pathology of hereditary adrenal hyperplasia, 251; origin of the B/J, R/J, and Y/J strains, 269; effect of strain on activity level and cytotoxicity of serum complement, 331.

Rats: chromatographic comparisons of heterotic liver histones, 282; infantile ichthyosis, 391.

Sheep: centric fusion polymorphism in Romney Marsh, 8; fundamental karyotype in domestic and wild species, 77; frequencies of various birth defects of Targhee and Columbia, 237; frequency of color genes in Faeroe Islands, 259; Icelandic albino ram, 430.

Tribolium castaneum: genotype–environment interaction effects on growth and development, 71.

Venezillo evergladensis: codominance in the terrestrial isopod, 140.

Armbrust, E. J., et al., Genetic differences between eastern and western populations of the alfalfa weevil, 37.

Asman, S. M., et al., Sex-linked translocations in *Culex tarsalis*: chromosome-linkage group correlation and segregation patterns, 304.

Aswathanarayana, N. V. and S. K. Rao, Karyological analysis of the Horsfield's shrew from peninsular India, 202.

Asymmetry in sister chromatids of human chromosomes, R. Y. Goradia and B. K. Davis, 369.

Axtell, J. D. and T. E. Thompson, Graft-induced transmission of cytoplasmic male sterility in alfalfa, 159.

Baker, R. H., et al., Genetic analysis of two enzyme polymorphisms in a malaria vector mosquito: octanol dehydrogenase and acid phosphatase in *Anopheles culicifacies* Giles, 155.

Bates, L. S., et al., Chromosome instability in hybrids of *Hordeum vulgare* L. with *Triticum turgidum* and *T. aestivum*, 179.

B–A translocations in maize: I. use in locating genes by chromosome arms, J. B. Beckett, 27.

Beck, M. L. and J. T. Mahan, The chromosomes of *Microtus pinetorum*, 343.

Beckett, J. B., B–A translocations in maize: I. use in locating genes by chromosome arms, 27.

Belyaev, D. K. and A. I. Zhelezova, Effect of day length on lethality in mink homozygous for the shadow gene, 366.

Bender, M. A., et al., Y two X's?: an XXY genotype in Chinese hamster, *C. griseus*, 128.

Benyi, K. and G. A. E. Gall, Genotype-environment interaction effects on growth and development in *Tribolium castaneum*, 71.

Berry, S. F., et al., Somatic and sexual hybrids of *Petunia hybrida* and *Petunia parodii*: a comparison of flower color segregation, 373.

Biochemical characterization of the major amylase form coded by the *Amy-1* gene in maize, J. G. Scandalios, S. E. Chao, and J. C. Melville, 149.

Biparental plastid inheritance in *Pennisetum americanum*, M. K. Rao and P. R. K. Koduru, 327.

Blumenberg, B. and M. Spikell, Calculator programs in general genetics: II. Nei's indices of genetic distance, protein identity, migration rate, and divergence time, 278.

Bochkarev, M. N., et al., Mutant allele frequencies in domestic cat populations of six Soviet cities, 169.

Books Reviewed: M. Goodman, et al., Molecular Anthropology—Genes and Proteins in the Evolutionary Ascent of the Primates, 359; de J. Grouchy, and C. Turleau, Clinical Atlas of Human Chromosomes, 212; P. Reilly, Genetics, Law and Social Policy, 211.

Borodin, P. M., et al., Mutant allele frequencies in domestic cat populations of six Soviet cities, 169.

Boussy, I. A., et al., Male sterility in meadowfoam, 61.

Brassica campestris L., a higher plant with potential for teaching genetics, J. A. Hawk and L. V. Crowder, 121.

Brown, B. B., et al., Centric fusion polymorphism in Romney Marsh sheep of England, 8.

Brown, C. J., et al., The effect of inbreeding on human aversion in pointer dogs, 362.

Brown, M. S. and M. Y. Menzel, Reciprocal chromosome translocations in *Gossypium hirsutum*: arm locations of breakpoints and recovery of duplication-deficiencies, 383.

Bruère, A. N., et al., Centric fusion polymorphism in Romney Marsh sheep of England, 8.

Bunch, T. D.: Fundamental karyotype in domestic and wild species of sheep: identity and ranking of autosomal acrocentrics involved in biarmed formations, 77; et al., G-band patterns, hemoglobin, and transferrin types of bharal: chromosomal evolutionary relationships with sheep and goats, 316.

Burk, L. G. and R. D. Durbin, The reaction of *Nicotiana* species to tentoxin: a new technique for identifying the cytoplasmic parent, 117.

Burns, S. F., et al., Somatic and sexual hybrids of *Petunia hybrida* and *Petunia parodii*: a comparison of flower color segregation, 373.

Burtenshaw, M. D., et al., Centric fusion polymorphism in Romney Marsh sheep of England, 8.

Burton, G. W., et al., Genetics of mutagen induced nonlethal chlorophyll mutants in pearl millet, 273.

Calculator programs in general genetics: II. Nei's indices of genetic distance, protein identity, migration rate, and divergence time, B. Blumenberg and M. Spikell, 278.

Caspari, E. W. and L. S. Teicher, The genetics of blind—a lethal factor in mice, 86.

Ceccarelli, S., Single-gene inheritance of anther extrusion in barley, 210.

Centric fusion polymorphism in Romney Marsh sheep of England, A. N. Bruère, E. P. Evans, M. D. Burtenshaw, and B. B. Brown, 8.

Chao, S. E., et al., Biochemical characterization of the major amylase form coded by the *Amy-1* gene in maize, 149.

Chaplin, J. F. and T. J. Mann, Evaluation of tobacco mosaic resistance factor transferred from burley to flue-cured tobacco, 175; corrigenda, 342.

Chapman, V. M., et al., *Mus musculus* × *Mus caroli* hybrids: mouse mules, 321.

Chemically induced alterations of the nuclear cycle and chromosomes in root meristem cells of maize: effects of cycloheximide, chloramphenicol, and mitomycin C on length of the nuclear cycle and the production of chromosomal aberrations by mitomycin C, R. S. Verma and M. S. Lin, 285.

Cherry, M., et al., Effect of rabbit strain on activity level and cytotoxicity of serum complement, 107.

Cherry, M. and R. R. Fox, Effect of rabbit strain on activity level and cytotoxicity of serum complement: II. comparison of five murine target cells, 331.

Chromatographic comparisons of heterotic rat liver histones, G. Tallman, W. Kaczmarczyk, and V. Ulrich, 282.

Chromosome association in haploids and species hybrids of *Gossypium*, I. El J. Mursal, 413.

Chromosome instability in hybrids of *Hordeum vulgare* L. with *Triticum turgidum* and *T. aestivum*, K. A. Mujeeb, J. B. Thomas, R. Rodriguez R., R. F. Waters, and L. S. Bates, 179.

Chromosomes of *Microtus pinetorum*, M. L. Beck and J. T. Mahan, 343.

Cocking, E. C., et al., Somatic and sexual hybrids of *Petunia hybrida* and *Petunia parodii*: a comparison of flower color segregation, 373.

Colchiploidy in *Exacum*, P. Semeniuk, 277.

Collins, G. B. and S. M. Reed, Interspecific hybrids in *Nicotiana* through in vitro culture of fertilized ovules: *N. stocktonii* × *N. tabacum*; *N. nesophila* × *N. tabacum*; *N. repanda* × *N. tabacum*, 311.

Condra, C. and C. E. Taylor, Genetic and environmental interaction in *Drosophila pseudoobscura*, 63.

Continued high incidence of mutants in a Peruvian population of mice, M. E. Wallace, 429.

Corrigendum: Evaluation of tobacco mosaic resistance factor transferred from burley to flue-cured tobacco, 342.

Crary, D. D. and R. R. Fox: Retroesophageal right subclavian artery in rabbits: genetics and pathology, 19; Genetics and pathology of hereditary adrenal hyperplasia in the rabbit: a model for congenital lipoid adrenal hyperplasia, 251.

Crawford, R. D. and G. Loomis, Inheritance of short coat and long coat in St. Bernard dogs, 266.

Crosier, D. C., et al., Inheritance of resistance to white mold disease in *Phaseolus coccineus*, 200.

Crowder, L. V. and J. A. Hawk: *Brassica campestris* L., a higher plant with potential for teaching genetics, 121; The inheritance of four mutants in early-flowering *Brassica campestris* L., 125.

Cummings, D. P., et al., Morphological mutations induced with ethyl methanesulfonate in oats, 3.

Cytoplasmic male sterility in petunia: III. genetic control of microsporogenesis and male fertility restoration, S. Izhar, 22.

Daniel, W. L., Murine arylsulfatase B: regulation of *As-1* expression in different tissues, 244.
Davis, B. K. and R. Y. Goradia, Asymmetry in sister chromatids of human chromosomes, 369.
Dickinson, D. B., et al., The genetics of sugary enhancer (*se*), an independent modifier of sweet corn (*su*), 377.
Domon, O. E., et al., Phaeomelanin synthesis and obesity in mice: interaction of the viable yellow (A^{vy}) and sombre (e^{so}) mutations, 295.
Douglas, T. C., et al., Location of the gene for theta antigen in the mouse: II. three-point crosses place *Thy-1* in proximal region of chromosome 9, 224.
Duration of the mitotic cycle and its component phases in *Brassica juncea*, H. K. Srivastava and U. C. Lavania, 355.
Durbin, R. D. and L. G. Burk, The reaction of *Nicotiana* species to tentoxin: a new technique for identifying the cytoplasmic parent, 117.

Ear-tufts: a skin structure mutation of the Araucana fowl, R. G. Somes, Jr., 91.
Eckhardt, R. B., Molecular biology of primates (Rev.), 359.
Effect of day length on lethality in mink homozygous for the shadow gene, D. K. Belyaev and A. I. Zhelezova, 366.
Effect of inbreeding on human aversion in pointer dogs, C. J. Brown, O. D. Murphree, and G. E. O. Newton, 362.
Effect of rabbit strain on activity level and cytotoxicity of serum complement, R. R. Fox, M. Cherry, and K. L. Shultz, 107.
Effect of rabbit strain on activity level and cytotoxicity of serum complement: II. comparison of five murine target cells, R. R. Fox and M. Cherry, 331.
El-Mallakh, R. S., et al., Acclimation of *Paramecium* to copper, 423.
Emery, D. A. and P. M. Resslar, Inheritance of growth habit in peanuts: cytoplasmic or maternal modifications?, 101.
Ercanbrack, S. K. and A. D. Knight, Frequencies of various birth defects of Targhee and Columbia sheep, 237.
Evaluation of tobacco mosaic resistance factor transferred from burley to flue-cured tobacco, J. F. Chaplin and T. J. Mann, 175; Corrigenda, 342.
Evans, E. P., et al., Centric fusion polymorphism in Romney Marsh sheep of England, 8.
Evolution of fraction I protein in relation to origin of amphidiploid *Brassica* species and other members of the Cruciferae, H. Uchimiya and S. G. Wildman, 299.

Ferguson, J. E., et al., Genetics of sugary enhancer (*se*), an independent modifier of sweet corn (*su*), 377.
Fields, M. B., et al., Ultrastructural analysis of plastid degeneration in an ethyl methanesulfonate-induced mutant of *Mimulus*, 263.
Flightless mutation in the wasp *Habrobracon juglandis*, R. M. Petters, D. S. Grosch, and C. S. Olson, 113.
Foster, K. W. and J. N. Rutger, Independent segregation of semidwarfing genes and a gene for pubescence in rice, 137.
Fox, R. R., Origin of the B/J, R/J, and Y/J strains of rabbits, 269.
Fox, R. R. and D. D. Crary: Retroesophageal right subclavian artery in rabbits: genetics and pathology, 19; Genetics and pathology of hereditary adrenal hyperplasia in the rabbit: a model for congenital lipoid adrenal hyperplasia, 251.
Fox, R. R., et al., Effect of rabbit strain on activity level and cytotoxicity of serum complement, 107; Inherited enzyme variation among JAX strains of domestic rabbits, 165.
Fox, R. R. and M. Cherry, Effect of rabbit strain on activity level and cytotoxicity of serum complement: II. comparison of five murine target cells, 331.
Frankel, J. S., Gene activation of alcohol dehydrogenase in danio hybrids, 57.
Frels, W. I., et al., *Mus musculus* × *Mus caroli* hybrids: mouse mules, 321.
Frequencies of various birth defects of Targhee and Columbia sheep, S. K. Ercanbrack and A. D. Knight, 237.
Frequency of color genes in Faeroe Islands sheep, S. Adalsteinsson and H. Wardum, 259.
Fujihara, T., et al., A sex-transformation gene in *Drosophila melanogaster*, 229.
Fundamental karyotype in domestic and wild species of sheep: identity and ranking of autosomal acrocentrics involved in biarmed formations, T. D. Bunch, 77.

Galbraith, D. B., et al., Phaeomelanin synthesis and obesity in mice: interaction of the viable yellow (A^{vy}) and sombre (e^{so}) mutations, 295.
Gall, G. A. E. and K. Benyi, Genotype-environment interaction effects on growth and development in *Tribolium castaneum*, 71.
G-band patterns, hemoglobin, and transferrin types of the bharal: chromosomal evolutionary relationships with sheep and goats, T. D. Bunch, C. F. Nadler, and L. Simmons, 316.
Gene activation of alcohol dehydrogenase in danio hybrids, J. S. Frankel, 57.
Gene frequencies of an isolated population of *Drosophila pseudoobscura*, L. Harshman and C. E. Taylor, 197.

General Genetics

Assortative mating: effects of admixture of positive and negative systems, 207.
Calculator programs: Nei's indices of genetic distance, protein identity, migration rate, and divergence time, 278.
Computer generated homework problems in genetics, 349.
Quantatative genetics: response to within-family selection, 345.

Genetic analysis of two enzyme polymorphisms in a malaria vector mosquito: octanol dehydrogenase and acid phosphatase in *Anopheles culicifacies* Giles, M. Ahmad, R. K. Sakai, R. H. Baker, and R. W. Ainsley, 155.
Genetic and environmental interaction in *Drosophila pseudoobscura*, C. E. Taylor and C. Condra, 63.
Genetics and pathology of hereditary adrenal hyperplasia in the rabbit: a model for congenital lipoid adrenal hyperplasia, R. R. Fox and D. D. Crary, 251.
Genetic differences between eastern and western populations of the alfalfa weevil, D. K. Sell, E. J. Armbrust, and G. S. Whitt, 37.
Genetics of blind—a lethal factor in mice, L. S. Teicher and E. W. Caspari, 86.
Genetics of conspicuous markings of the Io moth, T. R. Manley, 11.
Genetics of green spotting on shanks of Ancona chickens, W. H. McGibbon, 97.
Genetics of mutagen induced non-lethal chlorophyll mutants in pearl millet, W. W. Hanna, G. W. Burton, and J. B. Powell, 273.
Genetics of sugary enhancer (*se*), an independent modifier of sweet corn (*su*), J. E. Ferguson, A. M. Rhodes, and D. B. Dickinson, 377.
Genetic variability in the German cockroach: XI. does chromosome 9 carry remnants of a primitive gene system?, M. H. Ross and C. B. Keil, 337.
Genetic variation in a heterogeneous environment: VI. a possible experimental system, P. W. Hedrick, 135.
Genotype-environment interaction effects on growth and

development in *Tribolium castaneum*, K. Benyi and G. A. E. Gall, 71.
Gianola, D., Observations on criteria for within-family selection, 345.
Goradia, R. Y. and B. K. Davis, Asymmetry in sister chromatids of human chromosomes, 369.
Gorman, M. B. and Y. T. Kiang, Models for the inheritance of several variant soybean electrophoretic zymograms, 255.
Graft-induced transmission of cytoplasmic male sterility in alfalfa, T. E. Thompson and J. D. Axtell, 159.
Green, C. E., et al., Morphological mutations induced with ethyl methanesulfonate in oats, 3.
Gregory, K. E. and C. R. Long, Inheritance of the horned, scurred, and polled condition in cattle, 395.
Gregory, P., et al., Inheritance of saturated fatty acids in maize, 341.
Grogan, C. O., et al., Inheritance of saturated fatty acids in maize, 341.
Grosch, D. S., et al., A flightless mutation in the wasp *Habrobracon juglandis*, 113.

Hanna, W. W., et al., Genetics of mutagen induced nonlethal chlorophyll mutants in pearl millet, 273.
Harshman L. and C. E. Taylor, Gene frequencies of an isolated population of *Drosophila pseudoobscura*, 197.
Hauptli, H., et al., Male sterility in meadowfoam, 61.
Hawk, J. A. and L. V. Crowder: *Brassica campestris* L., a higher plant with potential for teaching genetics, 121; The inheritance of four mutants in early-flowering *Brassica campestris* L., 125.
Hedrick, P. W., Genetic variation in a heterogeneous environment: VI. a possible experimental system, 135.
Hoornbeek, F. K. and A. Wojcieszak, Recombination studies involving the siren gene in the mouse: evidence for nonallelic interaction between the *srn* and *Sd* genes, 51.
Hsu, C. L. and J. M. Stewart, Hybridization of diploid and tetraploid cottons through in-ovulo embryo culture, 404.
Hudson, L. W. and V. E. Wilson: Inheritance of lentil flower color, 129; Seedcoat color anomalies in early generations of lentils, 205; Inheritance of deleterious factors causing chlorophyll deficiency and seed sterility in lentils, 267; A lentil bud mutation, 357.
Human chromosome atlas (Rev.), R. S. Verma, 212.
Human genetics and the law (Rev.), S. C. Reed, 211.
Human genetics: legal aspects (Rev.), 211; chromosome atlas (Rev.), 212; molecular anthropology (Rev.), 359; symmetry in sister chromatids of chromosomes, 369.
Hunt, L.-M. and S. Podlasek, A simple technique for preparing mitotic chromosome spreads from Hemipteran embryos, 419.
Hunter, J. E., et al., Inheritance of resistance to white mold disease in *Phaseolus coccineus*, 200.
Hutton, E. M. and B. C. Imrie, The inheritance of flower color in *Macroptilium atropurpureum*, 54.
Hybrid dysgenesis in *Drosophila melanogaster*: no suppressor-X effect on male recombination, M. G. Kidwell, 417.
Hybridization of diploid and tetraploid cottons through in-ovulo embryo culture, J. M. Stewart and C. L. Hsu, 404.

Identification of inbred strains of mice: II. characterization of different substrains of the C3H strain, H.-H. Krog and R. Moutier, 66.
Idiogram of *Ricinus communis* L., H. S. Paris, O. Shifriss, and G. Jelenkovic, 191.
Imrie, B. C. and E. M. Hutton, The inheritance of flower color in *Macroptilium atropurpureum*, 54.
Increased stability of a hybrid molecule, G. Lucotte and M. Kaminski, 354.
Independent segregation of semidwarfing genes and a gene for pubescence in rice, K. W. Foster and J. N. Rutger, 137.
Infantile ichthyosis in rats. a new model of hyperkeratotic skin disease, W. E. Knox and L. M. Lister-Rosenoer, 391.
Inheritance of cotyledon color in lentils, A. E. Slinkard, 139.
Inheritance of deleterious factors causing chlorophyll deficiency and seed sterility in lentils, V. E. Wilson and L. W. Hudson, 267.
Inheritance of flower color in *Macroptilium atropurpureum*, B. C. Imrie and E. M. Hutton, 54.
Inheritance of four genetic male steriles in rice, S. C. Trees and J. N. Rutger, 270.
Inheritance of four mutants in early-flowering *Brassica campestris* L., J. A. Hawk and L. V. Crowder, 125.
Inheritance of growth habit in peanuts: cytoplasmic or maternal modifications?. P. M. Resslar and D. A. Emery, 101.
Inheritance of lentil flower color, V. E. Wilson and L. W. Hudson, 129.
Inheritance of resistance to white mold disease in *Phaseolus coccineus*, G. S. Abawi, R. Provvidenti, D. C. Crosier, and J. E. Hunter, 200.
Inheritance of saturated fatty acids in maize, D. Sun, P. Gregory, and C. O. Grogan, 341.
Inheritance of short coat and long coat in St. Bernard dogs, R. D. Crawford and G. Loomis, 266.
Inheritance of the horned, scurred, and polled condition in cattle, C. R. Long and K. E. Gregory, 395.
Inheritance of yellow dun and blue dun in the Icelandic toelter horse, S. Adalsteinsson, 146.
Inherited enzyme variation among JAX strains of domestic rabbits, L. C. Skow, R. R. Fox, and J. E. Womack, 165.
Interspecific hybrids in *Nicotiana* through in vitro culture of fertilized ovules: *N. stocktonii* × *N. tabacum*; *N. nesophila* × *N. tabacum*; *N. repanda* × *N. tabacum*, S. M. Reed and G. B. Collins, 311.
Ivett, J. L., et al., Y two X's?: an XXY genotype in Chinese hamster, *C. griseus*, 128.
Izhar, S., Cytoplasmic male sterility in petunia: III. genetic control of microsporogenesis and male fertility restoration, 22.

Jain, S. K. and J. A. Usberti, Jr., The role of sexuality in the response of guinea grass populations to heat stress, 188.
Jain, S. K., et al., Male sterility in meadowfoam, 61.
Jauhar, P. P., Primary trisomy in tall fescue, 217.
Jelenkovic, G., et al., Idiogram of *Ricinus communis* L., 191.
Jha, A. N. and B. B. Singh, Abnormal differentiation of floral parts in a mutant strain of soybean, 143.
Johnson, C., A note on codominance in the terrestrial isopod, *Venezillo evergladensis*, 140.

Kaczmarczyk, W., et al., Chromatographic comparisons of heterotic rat liver histones, 282.
Kaminski, M. and G. Lucotte, Increased stability of a hybrid molecule, 354.
Karyological analysis of the Horsfield's shrew from peninsular India, S. K. Rao and N. V. Aswathanarayana, 202.
Kawabe, M., et al., A sex-transformation gene in *Drosophila melanogaster*, 229.
Keil, C. B. and M. H. Ross, Genetic variability in the German cockroach: XI. does chromosome 9 carry remnants of a primitive gene system?, 337.

Kiang, Y. T. and M. B. Gorman, Models for the inheritance of several variant soybean electrophoretic zymograms, 255.
Kidwell, M. G., Hybrid dysgenesis in *Drosophila melanogaster*: no suppressor-X effect on male recombination, 417.
Knight, A. D. and S. K. Ercanbrack, Frequencies of various birth defects of Targhee and Columbia sheep, 237.
Knox, W. E. and L. M. Lister-Rosenoer, Infantile ichthyosis in rats: a new model of hyperkeratotic skin disease, 391.
Koduru, P. R. K. and M. K. Rao, Biparental plastid inheritance in *Pennisetum americanum*, 327.
Kohel, R. J., Monosomic analysis of cotton mutants, 275.
Krog, H.-H. and R. Moutier, Identification of inbred strains of mice: II. characterization of different substrains of the C3H strain, 66.

Lavania, U. C. and H. K. Srivastava, Duration of the mitotic cycle and its component phases in *Brassica juncea*, 355.
Lentil bud mutation, V. E. Wilson and L. W. Hudson, 357.
Linkage group III in the Syrian hamster: linkage between white band and long hair, R. Robinson, J. S. Peterson, and C. H. Yoon, 199.
Linkage of tobiano coat spotting and albumin markers in a pony family, A. Trommershausen-Smith, 214.
Lin, M. S. and R. S. Verma, Chemically induced alterations of the nuclear cycle and chromosomes in root meristem cells of maize: effects of cycloheximide, chloramphenicol, and mitomycin C on length of the nuclear cycle and the production of chromosomal aberrations by mitomycin C, 285.
Lister-Rosenoer, L. M. and W. E. Knox, Infantile ichthyosis in rats: a new model of hyperkeratotic skin disease, 391.
Location of the gene for theta antigen in the mouse: II. three-point crosses place *Thy-1* in proximal region of chromosome 9, T. C. Douglas, T. Meo, and H. Skarvall, 224.
Long, C. R. and K. E. Gregory, Inheritance of the horned, scurred, and polled condition in cattle, 395.
Loomis G. and R. D. Crawford, Inheritance of short coat and long coat in St. Bernard dogs, 266.
Lucotte, G. and M. Kaminski, Increased stability of a hybrid molecule, 354.

Mahan, J. T. and M. L. Beck, The chromosomes of *Microtus pinetorum*, 343.
Male sterility in meadowfoam, S. K. Jain, I. A. Boussy, and H. Hauptli, 61.
Manchenko, G. P., et al., Mutant allele frequencies in domestic cat populations of six Soviet cities, 169.
Manley, T. R., Genetics of conspicuous markings of the Io moth, 11.
Mann, T. J. and J. F. Chaplin, Evaluation of tobacco mosaic resistance factor transferred from burley to flue-cured tobacco, 175; corrigenda, 342.
Martín, A., Aneuploidy in *Vicia faba* L., 421.
McClelland, G. A. H., A new sex-linked mutant in *Culex pipiens*: bleached mutant characterized by reduced recombination in males, 81.
McClintock, Barbara, recipient of Brandeis science award, 106.
McDonald, P. T., et al., Sex-linked translocations in *Culex tarsalis*: chromosome-linkage group correlation and segregation patterns, 304.
McGibbon, W. H., The genetics of green spotting on shanks of Ancona chickens, 97.
Melville, J. C., et al., Biochemical characterization of the major amylase form coded by the *Amy-1* gene in maize, 149.
Menzel, M. Y. and M. S. Brown, Reciprocal chromosome translocations in *Gossypium hirsutum*: arm locations of breakpoints and recovery of duplication-deficiencies, 383.
Meo, T., et al., Location of the gene for theta antigen in the mouse: II. three-point crosses place *Thy-1* in proximal region of chromosome 9, 224.
Meredith, Jr., W. R. and V. G. Meyer, New germplasm from crossing Upland cotton (*Gossypium hirsutum*) with *G. tomentosum*, 183.
Meyer Memorial Medal Awarded to Quentin Jones, 381.
Meyer, V. G. and W. R. Meredith, Jr., New germplasm from crossing Upland cotton (*Gossypium hirsutum*) with *G. tomentosum*, 183.
Microwave radiation-induced chromosomal aberrations in corneal epithelium of Chinese hamsters, K. T. S. Yao, 409.
Models for the inheritance of several variant soybean electrophoretic zymograms, M. B. Gorman and Y. T. Kiang, 255.
Molecular biology of primates (Rev.), R. B. Eckhardt, 359.
Monosomic analysis of cotton mutants, R. J. Kohel, 275.
Morphological mutations induced with ethyl methanesulfonate in oats, D. P. Cummings, D. D. Stuthman, and C. E. Green, 3.
Morrill, R. B. and N. B. Todd, Mutant allele frequencies in domestic cats of Denver, Colorado, 131.
Moutier, R. and H.-H. Krog, Identification of inbred strains of mice: II. characterization of different substrains of the C3H strain, 66.
Mujeeb, K. A., et al., Chromosome instability in hybrids of *Hordeum vulgare* L. with *Triticum turgidum* and *T. aestivum*, 179.
Murine arylsulfatase B: regulation of *As-1* expression in different tissues, W. L. Daniel, 244.
Murphree, O. D., et al., The effect of inbreeding on human aversion in pointer dogs, 362.
Mursal, I. El. J., Chromosome association in haploids and species hybrids of *Gossypium*, 413.
Mus musculus × *Mus caroli* hybrids: mouse mules, J. D. West, W. I. Frels, and V. M. Chapman, 321.
Mutant allele frequencies in domestic cat populations of six Soviet cities, P. M. Borodin, M. N. Bochkarev, I. S. Smirnova, and G. P. Manchenko, 169.
Mutant allele frequencies in domestic cats of Denver, Colorado, R. B. Morrill and N. B. Todd, 131.

Nadler, C. F., et al., G-band patterns, hemoglobin, and transferrin types of the bharal: chromosomal evolutionary relationships with sheep and goats, 316.
New germplasm from crossing Upland cotton (*Gossypium hirsutum*) with *G. tomentosum*, V. G. Meyer and W. R. Meredith, Jr., 183.
New interpretation of the inheritance of the horse colors dun and Isabella in a Russian stud during the period 1854–1894, S. Adalsteinsson, 426.
New linkage groups and revised chromosome map of the domestic fowl, R. G. Somes, Jr., 401.
New sex-linked mutant in *Culex pipiens*: bleached mutant characterized by reduced recombination in males, G. A. H. McClelland, 81.
Newton, J. E. O., et al., The effect of inbreeding on human aversion in pointer dogs, 362.
North, D. T., Segregation of reciprocal translocations in the cabbage looper, 59.
Note on an Icelandic albino ram, S. Adalsteinsson, 430.
Note on codominance in the terrestrial isopod, *Venezillo evergladensis*, C. Johnson, 140.
Nyberg, D., et al., Acclimation of *Paramecium* to copper, 423.

Observations on criteria for within-family selection, D. Gianola, 345.
Oishi, K., et al., A sex-transformation gene in *Drosophila melanogaster*, 229.
Olson, C. S., et al., A flightless mutation in the wasp *Habrobracon juglandis*, 113.
Origin of the B/J, R/J, and Y/J strains of rabbits, R. R. Fox, 269.
Otto, P. A., Studies on assortative mating: II. effects of admixture of positive and negative systems, 207.

Paris, H. S., et al., Idiogram of *Ricinus communis* L., 191.
Perper, T., et al., White spotting in the Mongolian gerbil, 347.
Peterson, J. S., et al., Linkage group III in the Syrian hamster: linkage between white band and long hair, 199.
Petters, R. M., et al., A flightless mutation in the wasp *Habrobracon juglandis*, 113.
Phaeomelanin synthesis and obesity in mice: interaction of the viable yellow (A^{vy}) and sombre (e^{so}) mutations, G. L. Wolff, D. B. Galbraith, O. E. Domon, and J. M. Row, 295.

Plant Genetics

Alfalfa: graft-induced transmission of cytoplasmic male sterility, 159.
Barley: single-gene inheritance of anther extrusion, 210.
Brassica: for teaching genetics, 121; four mutants in early-flowering *B. campestris*, 125; evolution of fraction I protein in relation to origin of amphidiploid species and other members of the Cruciferae, 299; duration of mitotic cycle and component phases in *B. juncea*, 355.
Cotton: new germplasm from crossing *Gossypium hirsutum* with *G. tomentosum*, 183; monosomic analysis of mutants, 275; reciprocal translocations: arm locations of breakpoints and recovery of duplication-deficiencies, 383; hybridization of diploids and tetraploids through in-ovulo embryo culture, 404; chromosome association in haploids and species hybrids, 413.
Exacum: colchiploidy, 277.
Fescue, primary trisomy, 217.
Guinea grass: role of sexuality in population response to heat stress, 188.
Lentil: flower color, 129; cotyledon color, 139; seedcoat color anomalies in early generations, 205; deleterious factors causing chlorophyll deficiency and seed sterility, 267; bud mutation, 357.
Macroptilium atropurpureum: flower color, 54.
Maize: B-A translocations used to locate genes by chromosome arms, 27; biochemical characterization of major amylase form coded by *Amy-1* gene, 149; chemically induced alterations of nuclear cycle and chromosomes in root meristem cells, 285; saturated fatty acids, 341; genetics of sugary enhancer (*se*), an independent modifier of sweet corn (*su*), 377.
Meadowfoam: male sterility, 61.
Mimulus: ultrastructural analysis of plastid degeneration in EMS-induced mutant, 263.
Nicotiana: reaction to tentoxin used to identify cytoplasmic parent, 117; tobacco mosaic resistance factor transferred from burley to flue-cured tobacco, 175; corrigenda, 342; interspecific hybrids through in vitro culture of fertilized ovules, 311.
Oats: EMS-induced morphological mutations, 3.
Peanuts: inheritance of growth habit, 101.
Pearl millet: mutagen induced non-lethal chlorophyll mutants, 273; biparental plastid inheritance, 327.
Petunia: genetic control of microsporogenesis and male fertility restoration, 22; somatic and sexual hybrids of *P. hybrida* and *P. parodii*, 373.
Phaseolus: resistance to white mold disease in *P. coccineus*, 200.
Rice: independent segregation of semidwarfing genes and gene for pubescence, 137; four genetic male steriles, 270.
Ricinus: idiogram of *R. communis*, 191.
Soybean: abnormal differentiation of floral parts in mutant strain, 143; models for inheritance of several variant electrophoretic zymograms, 255.
Vicia: aneuploidy in *V. faba*, 421.
Wheat: chromosome instability in hybrids of *Hordeum vulgare* with *Triticum turgidum* and *T. aestivum*, 179.

Podlasek, S. and L.-M. Hunt, A simple technique for preparing mitotic chromosome spreads from Hemipteran embryos, 419.
Polymorphism at the glucosephosphate isomerase locus in the dog, K. E. Richkind and M. Richkind, 141.
Poole, T. W., et al., White spotting in the Mongolian gerbil, 347.
Powell, J. B., et al., Genetics of mutagen induced non-lethal chlorophyll mutants in pearl millet, 273.
Power, J. B., et al., Somatic and sexual hybrids of *Petunia hybrida* and *Petunia parodii*: a comparison of flower color segregation, 373.
Primary trisomy in tall fescue, P. P. Jauhar, 217.
Provvidenti, R., et al., Inheritance of resistance to white mold disease in *Phaseolus coccineus*, 200.

Rao, M. K. and P. R. K. Koduru, Biparental plastid inheritance in *Pennisetum americanum*, 327.
Rao, S. K. and N. V. Aswathanarayana, Karyological analysis of the Horsfield's shrew from peninsular India, 202.
Reaction of *Nicotiana* species to tentoxin: a new technique for identifying the cytoplasmic parent, L. G. Burk and R. D. Durbin, 117.
Reciprocal chromosome translocations in *Gossypium hirsutum*: arm locations of breakpoints and recovery of duplication-deficiencies, M. Y. Menzel and M. S. Brown, 383.
Recombination studies involving the siren gene in the mouse: evidence for nonallelic interaction between the *srn* and *Sd* genes, A. Wojcieszak and F. K. Hoornbeek, 51.
Reed, S. C., Human genetics and the law, (Rev.), 211.
Reed, S. M. and G. B. Collins, Interspecific hybrids in *Nicotiana* through in vitro culture of fertilized ovules: *N. stocktonii* × *N. tabacum*; *N. nesophila* × *N. tabacum*; *N. repanda* × *N. tabacum*, 311.
Resslar, P. M. and D. A. Emery, Inheritance of growth habit in peanuts: cytoplasmic or maternal modifications?, 101.
Retroesophageal right subclavian artery in rabbits: genetics and pathology, D. D. Crary and R. R. Fox. 19.
Rhodes, A. M., et al., Genetics of sugary enhancer (*se*), an independent modifier of sweet corn (*su*), 377.
Richkind, K. E. and M. Richkind, Polymorphism at the glucosephosphate isomerase locus in the dog, 141.
Richkind, M. and K. E. Richkind, Polymorphism at the glucosephosphate isomerase locus in the dog, 141.
Robinson, R., et al., Linkage group III in the Syrian hamster: linkage between white band and long hair, 199.
Rodriguez R., R., et al., Chromosome instability in hybrids of *Hordeum vulgare* L. with *Triticum turgidum* and *T. aestivum*, 179.
Role of sexuality in the response of guinea grass populations to heat stress, J. A. Usberti, Jr. and S. K. Jain, 188.

Ross, M. H. and C. B. Keil, Genetic variability in the German cockroach: XI. does chromosome 9 carry remnants of a primitive gene system?, 337.
Row, J. M., et al., Phaeomelanin synthesis and obesity in mice: interaction of the viable yellow (A^{vy}) and sombre (e^{so}) mutations, 295.
Rutger, J. N. and K. W. Foster, Independent segregation of semidwarfing genes and a gene for pubescence in rice, 137.
Rutger, J. N. and S. C. Trees, Inheritance of four genetic male steriles in rice, 270.

Sakai, R. K., et al., Genetic analysis of two enzyme polymorphisms in a malaria vector mosquito: octanol dehydrogenase and acid phosphatase in *Anopheles culicifacies* Giles, 155.
Scandalios, J. G., et al., Biochemical characterization of the major amylase form coded by the *Amy-1* gene in maize, 149.
Schaffer, H. E., The use of computers in teaching genetics: computer generated homework problems, 349.
Seedcoat color anomalies in early generations of lentils, V. E. Wilson and L. W. Hudson, 205.
Segregation of reciprocal translocations in the cabbage looper, D. T. North, 59.
Sell, D. K., et al., Genetic differences between eastern and western populations of the alfalfa weevil, 37.
Semeniuk, P., Colchiploidy in *Exacum*, 277.
Sex-linked translocations in *Culex tarsalis*: chromosome–linkage group correlation and segregation patterns, P. T. McDonald, S. M. Asman, and H. A. Terwedow, Jr., 304.
Sex-transformation gene in *Drosophila melanogaster*, T. Fujihara, M. Kawabe, and K. Oishi, 229.
Shifriss, O., et al., Idiogram of *Ricinus communis* L., 191.
Shultz, K. L., et al., Effect of rabbit strain on activity level and cytotoxicity of serum complement, 107.
Simmons, L., et al., G-band patterns, hemoglobin, and transferrin types of the bharal: chromosomal evolutionary relationships with sheep and goats, 316.
Simple technique for preparing mitotic chromosome spreads from Hemipteran embryos, S. Podlasek and L.-M. Hunt, 419.
Singh, B. B. and A. N. Jha, Abnormal differentiation of floral parts in a mutant strain of soybean, 143.
Single-gene inheritance of anther extrusion in barley, S. Ceccarelli, 210.
Sink, K. S., et al., Somatic and sexual hybrids of *Petunia hybrida* and *Petunia parodii*: a comparison of flower color segregation, 373.
Skarvall, H., et al., Location of the gene for theta antigen in the mouse: II. three-point crosses place *Thy-1* in proximal region of chromosome 9, 224.
Skow, L. C., et al., Inherited enzyme variation among JAX strains of domestic rabbits, 165.
Slinkard, A. E., Inheritance of cotyledon color in lentils, 139.
Smirnova, I. S., et al., Mutant allele frequencies in domestic cat populations of six Soviet cities, 169.
Somatic and sexual hybrids of *Petunia hybrida* and *Petunia parodii*: comparison of flower color segregation, J. B. Power, K. S. Sink, S. F. Berry, S. F. Burns, and E. C. Cocking, 373.
Somes, Jr., R. G., Ear-tufts: a skin structure mutation of the Araucana fowl, 91; New linkage groups and revised chromosome map of the domestic fowl, 401.
Spikell, M. and B. Blumenberg, Calculator programs in general genetics: II. Nei's indices of genetic distance, protein identity, migration rate, and divergence time, 278.
Srivastava, H. K. and U. C. Lavania, Duration of the mitotic cycle and its component phases in *Brassica juncea*, 355.
Stewart, J. M. and C. L. Hsu, Hybridization of diploid and tetraploid cottons through in-ovulo embryo culture, 404.
Studies on assortative mating: II. effects of admixture of positive and negative systems, P. A. Otto, 207.
Stuthman, D. D., et al., Morphological mutations induced with ethyl methanesulfonate in oats, 3.
Sun, D., et al., Inheritance of saturated fatty acids in maize, 341.
Szeto, C., et al., Acclimation of *Paramecium* to copper, 423.

Tallman, G., et al., Chromatographic comparisons of heterotic rat liver histones, 282.
Taylor, C. E. and C. Condra, Genetic and environmental interaction in *Drosophila pseudoobscura*, 63.
Taylor, C. E. and L. Harshman, Gene frequencies of an isolated population of *Drosophila pseudoobscura*, 197.
Teicher, L. S. and E. W. Caspari, The genetics of blind—a lethal factor in mice, 86.
Terwedow, Jr., H. A., et al., Sex-linked translocations in *Culex tarsalis*: chromosome-linkage group correlation and segregation patterns, 304.
Thomas, J. B., et al., Chromosome instability in hybrids of *Hordeum vulgare* L. with *Triticum turgidum* and *T. aestivum*, 179.
Thompson, T. E. and J. D. Axtell, Graft-induced transmission of cytoplasmic male sterility in alfalfa, 159.
Tice, R. R., et al., Y two X's?: an XXY genotype in Chinese hamster, *C. griseus*, 128.
Todd, N. B. and R. B. Morrill, Mutant allele frequencies in domestic cats of Denver, Colorado, 131.
Trees, S. C. and J. N. Rutger, Inheritance of four genetic male steriles in rice, 270.
Trommershausen-Smith, A., Linkage of tobiano coat spotting and albumin markers in a pony family, 214.

Uchimiya, H. and S. G. Wildman, Evolution of fraction I protein in relation to origin of amphidiploid *Brassica* species and other members of the Cruciferae, 299.
Ulrich, V., et al., Chromatographic comparisons of heterotic rat liver histones, 282.
Ultrastructural analysis of plastid degeneration in an ethyl methanesulfonate-induced mutant of *Mimulus*, M. B. Fields, K. C. Vaughn, and K. G. Wilson, 263.
Usberti, Jr., J. A. and S. K. Jain, The role of sexuality in the response of guinea grass populations to heat stress, 188.
Use of computers in teaching genetics: computer generated homework problems, H. E. Schaffer, 349.

Vaughn, K. C., et al., Ultrastructural analysis of plastid degeneration in an ethyl methanesulfonate-induced mutant of *Mimulus*, 263.
Verma, R. S., Human chromosome atlas, (Rev.), 212.
Verma, R. S. and M. S. Lin, Chemically induced alterations of the nuclear cycle and chromosomes in root meristem cells of maize: effects of cycloheximide, chloramphenicol, and mitomycin C on length of the nuclear cycle and the production of chromosomal aberrations by mitomycin C, 285.

Wallace, M. E., Continued high incidence of mutants in a Peruvian population of mice, 429.

Wardum H. and S. Adalsteinsson, Frequency of color genes in Faeroe Islands sheep, 259.
Waring, A. D., et al., White spotting in the Mongolian gerbil, 347.
Waters, R. F., et al., Chromosome instability in hybrids of *Hordeum vulgare* L. with *Triticum turgidum* and *T. aestivum*, 179.
West, J. D., et al., *Mus musculus* × *Mus caroli* hybrids: mouse mules, 321.
White spotting in the Mongolian gerbil, A. D. Waring, T. W. Poole, and T. Perper, 347.
Whitt, G. S., et al., Genetic differences between eastern and western populations of the alfalfa weevil, 37.
Wildman, S. G. and H. Uchimiya, Evolution of fraction I protein in relation to origin of amphidiploid *Brassica* species and other members of the Cruciferae, 299.
Wilson, K. G., et al., Ultrastructural analysis of plastid degeneration in an ethyl methanesulfonate-induced mutant of *Mimulus*, 263.
Wilson, V. E. and L. W. Hudson: Inheritance of lentil flower color, 129; Seedcoat color anomalies in early generations of lentils, 205; Inheritance of deleterious factors causing chlorophyll deficiency and seed sterility in lentils, 267; A lentil bud mutation, 357.
Wojcieszak, A. and F. K. Hoornbeek, Recombination studies involving the siren gene in the mouse: evidence for non-allelic interaction between the *srn* and *Sd* genes, 51.
Wolff, G. L., et al., Phaeomelanin synthesis and obesity in mice: interaction of the viable yellow (A^{vy}) and sombre (e^{so}) mutations, 295.
Womack, J. E., et al., Inherited enzyme variation among JAX strains of domestic rabbits, 165.

Yao, K. T. S., Microwave radiation-induced chromosomal aberrations in corneal epithelium of Chinese hamsters, 409.
Yoon, C. H., et al., Linkage group III in the Syrian hamster: linkage between white band and long hair, 199.
Y two X's?: An XXY genotype in Chinese hamster, *C. griseus*, J. L. Ivett, R. R. Tice, and M. A. Bender, 128.

Zhelezova, A. I. and D. K. Belyaev, Effect of day length on lethality in mink homozygous for the shadow gene, 366.

STATEMENT OF OWNERSHIP, MANAGEMENT, AND CIRCULATION (Act of August 12, 1970: Section 3685, Title 39, United States Code)

1. Date of filing: November 17, 1978
2. Title of publication: THE JOURNAL OF HEREDITY
3. Frequency of issue: Bimonthly
4. Location of known office of publication: 1028 Connecticut Avenue, N.W., Washington, D.C. 20036
5. Location of headquarters or general business offices of the publisher: 1028 Connecticut Avenue, N.W., Washington, D.C. 20036
6. Names and addresses of publisher, editor, and managing editor:

Publisher: American Genetic Association, 1028 Connecticut Avenue, N.W., Washington, D.C. 20036

Editor: None

Managing Editor: Barbara C. Kuhn, 1028 Connecticut Avenue, N.W., Washington, D.C. 20036

7. Owner (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given): American Genetic Association, 1028 Connecticut Avenue, N.W., Washington, D.C. 20036
8. Known bondholders, mortgages, and other security holders owning or holding 1 percent or more of total amount of bonds, mortgages or other securities: None
9. For completion by nonprofit organizations authorized to mail at special rates (Section 132.122, Postal Manual)

The purpose, function, and nonprofit status of this organization and the exempt status for federal income tax purposes have not changed during preceding 12 months.

10. Extent and nature of circulation:

A. Total no. copies printed (Net press run)	4,294*	4,299**
B. Paid circulation		
1. Sales through dealers and carriers, street vendors and counter sales	0*	0**
2. Mail subscription	4,008*	3,984**
C. Total paid circulation	4,008*	3,984**
D. Free distribution (including samples) by mail, carrier or other means	0*	0**
E. Total distribution (Sum of C and D)	4,008*	3,984**
F. Office use, left-over, unaccounted, spoiled after printing	286*	315**
G. Total (Sum of E & F—should equal net press run shown in A)	4,294*	4,299**

* Average no. copies each issue during preceding 12 months.
** Actual number of copies of single issue published nearest to filing date.

I certify that the statements made by me above are correct and complete.

BARBARA C. KUHN